In the claims:

- (currently amended) A method of treating BPH in a subject in need of such treatment which method comprises administering to said subject an a synergistically effective amount of a of combination (A) atorvastatin or a pharmaceutically acceptable derivative thereof and (B) an α_1 -adrenergic receptor antagonist, or a pharmaceutically acceptable derivative salt thereof, wherein said α_1 -adrenergic receptor solvate antagonist is selected from 4-amino-6, 7-dimethoxy-2-(5methanesulfonamido-1,2,3,4-tetrahydroisoquinol-2-yl)-5-(2pyridyl)quinazoline and 5-cyclopropyl-7-methoxy-2-(2morpholin-4-ylmethyl-7,8-dihydro[1,6]-naphthyridin-6(5H)-yl)-4(3H)-quinazolinone, or a pharmaceutically acceptable salt or solvate thereof.
- 2. (original) The method of claim 1 wherein (A) and (B) are administered simultaneously, sequentially or separately.

Claims 3-4 (canceled)

- 5. (currently amended) The method of claim $\frac{3}{2}$, wherein (B) is $\frac{4-\text{amino}-6}{7-\text{dimethoxy}-2-(5-\text{methanesulfonamido}-1,2,3,4-\text{tetrahydroisoquinol}-2-yl)-5-(2-pyridyl)quinazoline or a pharmaceutically acceptable <math>\frac{\text{derivative}}{\text{derivative}}$ salt or solvate thereof.
- 6. (currently amended) The method of claim $\frac{3}{2}$, wherein (B) is 5-cyclopropyl-7-methoxy-2-(2-morpholin-4-ylmethyl-7,8-dihydro[1,6]-naphthyridin-6(5H)-yl)-4(3H)-quinazolinone, or a

pharmaceutically acceptable derivative salt or solvate thereof.

7. (canceled)

- 8. (currently amended) A pharmaceutical composition comprising synergistic amounts of (A) atorvastatin or a pharmaceutically acceptable derivative salt thereof and (B) 4-amino-6,7-dimethoxy-2-(5-methanesulfonamido-1,2,3,4-tetrahydroisoquinol-2-yl)-5-(2-pyridyl)quinazoline or a pharmaceutically acceptable derivative salt or solvate thereof.
 - 9. (currently amended) Α pharmaceutical composition comprising synergistic amounts of (A) atorvastatin or a pharmaceutically acceptable derivative salt or solvate thereof and (B) 5-cyclopropyl-7-methoxy-2-(2-morpholin-4-ylmethyl-7,8dihydro[1,6]-naphthyridin-6(5H)-yl)-4(3H)-quinazolinone or apharmaceutically acceptable derivative salt solvate or thereof.

10. (canceled)

11. (currently amended) pharmaceutical Α composition comprising, separately or together, synergistic amounts of (A) atorvastatin or a pharmaceutically acceptable derivative salt solvate thereof or and (B) 4-amino-6,7-dimethoxy-2-(5methanesulfonamido-1,2,3,4-tetrahydroisoquinol-2-yl)-5-(2pyridyl) quinazoline or a pharmaceutically acceptable derivative salt or solvate thereof, for simultaneous, sequential or separate administration in the treatment of BPH.

- (currently amended) Α pharmaceutical composition comprising, separately or together, synergistic amounts of (A) atorvastatin or a pharmaceutically acceptable derivative salt or solvate thereof and (B) 5-cyclopropyl-7-methoxy-2-(2morpholin-4-ylmethyl-7,8-dihydro[1,6]-naphthyridin-6(5H)-yl)-4(3H)-quinazolinone pharmaceutically or a acceptable derivative salt or solvate thereof, for simultaneous, sequential or separate administration in the treatment of BPH.
- 13. (currently amended) A pharmaceutical composition according to any one of claims $\frac{7-12}{2}$ 8, 9, 11, or 12, further comprising a pharmaceutically acceptable carrier.